



# Certificate

## SAP INTEGRATION CERTIFICATION

---

SAP AG hereby confirms that the interface software  
for the product

**XAtl@s – HR-PDC Connector 2.0**

of the company **Zucchetti Axess S.p.A.**

has been certified for integration with SAP ECC 6.0 via the  
SAP integration scenario HR-PDC 4.5.

This certificate confirms the existence of product features in accordance  
with SAP certification procedures. It does not guarantee that the product  
is error-free.

The certification test is documented in report no. 19241594  
and expires November 21, 2015.

Vendor Hardware: PC-Pentium  
Vendor Operating System: Linux Red Hat 5.5  
SAP Test System: SAP ECC 6.0  
Used Integration Tools: SAP Java Connector

This configuration meets the requirements for connecting XAtl@s – HR-PDC  
Connector 2.0 to SAP Applications.

Certified Functions:

Time Events  
Employee Expenditures  
SAP Solution Manager Ready Functionality  
Unicode communication enabled

Walldorf, November 22, 2012

Christoph Claus, SAP AG

SAP, R/3, and SAP NetWeaver are registered trademarks of SAP AG Germany.  
All other names are registered or unregistered trademarks of the individual firms.  
<http://www.sap.com/icc>



**SAP<sup>®</sup> Certified**  
Integration with SAP Applications

---

# **Interface Certification**

**HR-PDC**

**Time & Attendance - Employee Expenditures**

**Test Report**

Version 4.5

SAP Integration and Certification Center



© 2011 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Excel, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, System i, System i5, System p, System p5, System x, System z, System z10, System z9, z10, z9, iSeries, pSeries, xSeries, zSeries, eServer, z/VM, z/OS, i5/OS, S/390, OS/390, OS/400, AS/400, S/390 Parallel Enterprise Server, PowerVM, Power Architecture, POWER6+, POWER6, POWER5+, POWER5, POWER, OpenPower, PowerPC, BatchPipes, BladeCenter, System Storage, GPFS, HACMP, RETAIN, DB2 Connect, RACF, Redbooks, OS/2, Parallel Sysplex, MVS/ESA, AIX, Intelligent Miner, WebSphere, Netfinity, Tivoli and Informix are trademarks or registered trademarks of IBM Corporation.

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Oracle and Java are registered trademarks of Oracle and/or its affiliates.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems, Inc.

HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

SAP, R/3, SAP NetWeaver, Duet, PartnerEdge, ByDesign, SAP BusinessObjects Explorer, StreamWork, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and other countries.

Business Objects and the Business Objects logo, BusinessObjects, Crystal Reports, Crystal Decisions, Web Intelligence, Xcelsius, and other Business Objects products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Business Objects Software Ltd. Business Objects is an SAP company.

Sybase and Adaptive Server, iAnywhere, Sybase 365, SQL Anywhere, and other Sybase products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Sybase, Inc. Sybase is an SAP company.

All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

The information in this document is proprietary to SAP. No part of this document may be reproduced, copied, or transmitted in any form or for any purpose without the express prior written permission of SAP AG.

## **Interface Certification #19241594**

**SAP Interface incl. Release:** HR-PDC 4.5  
**SAP Product incl. Release used for test:** SAP ECC 6.0  
**Hardware used for SAP test system:** PC-Pentium, x64  
**Operating System of SAP test system:** Windows 2003

---

**Name of Vendor:** Zucchetti Axess S.p.A.  
**Vendor Number (SAP internal):** 3199689

**Vendor Product Name:** XAtl@s – HR-PDC Connector  
**Release Vendor Product:** 2.0  
**Vendor Product Number (SAP internal):** 9251632

**Vendor Interface Software Name:**  
**Release Vendor Interface Software:**

**Hardware used for Vendor Test System:** PC-Pentium  
**Operating System of Vendor Test System:** Linux Red Hat 5.5  
**Tools used for the technical integration:** SAP Java Connector

**Certification Date:** November 22, 2012  
**Expiration Date:** November 21, 2015  
**Location:** remote  
**Persons present - Vendor:** Fabrizio Bellini

**Persons present - SAP:** Christoph Claus  
Stefan Eckstein

---

### **Certified Functions:**

- Time Events
  - Employee Expenditures
  - SAP Solution Manager Ready Functionality
  - Unicode communication enabled
-

## 1. System Preparation

Function	Values	Valuation	Note
Download master data		successful	
Download control data		successful	
Download transaction data		successful	

## 2 Certification Requirements

### 2.1 Employee Time Events

Function	Valuation	Notes
<b>3.1 P10 Clock-in booking</b>		
<b>3.1.1 P10 with unknown ID</b>	successful	
<b>3.1.2 P10 with invalid time period ID</b>	successful	
<b>3.1.3 P10 for a record not authorized for P10</b>	successful	
<b>3.1.4 P10 without attendance/absence reason</b>	successful	
<b>3.1.5 P10 with valid attendance/absence reason</b>	successful	

Function	Valuation	Notes
<b>3.2. P11 Change booking</b>		
<b>3.2.1 P11 with valid position</b>	successful	
<b>3.2.2 P11 with unknown position</b>	successful	
<b>3.2.3 P11 with unknown object type</b>	successful	

Function	Valuation	Notes
<b>3.3 P20 clock-out booking</b>		
<b>3.3.1 P20 without attendance/absence reason</b>	successful	
<b>3.3.2 P20 with valid attendance/absence reason</b>	successful	
<b>3.3.3 P20 with invalid attendance/absence reason</b>	successful	

Function	Valuation	Notes
<b>3.4 P15 Start of break booking</b>		
<b>3.4.1 P15 with valid IDs</b>	successful	

Function	Valuation	Notes
<b>3.5 P25 End of break booking</b>		
<b>3.5.1 P25 with valid ID</b>	successful	

Function	Valuation	Notes
<b>3.6 P30 Off-site work start time booking</b>		
<b>3.6.1 P30 with valid ID</b>	successful	

Function	Valuation	Notes
<b>3.7 P40 Off-site work end time booking</b>		
<b>3.7.1 P40 with valid ID</b>	successful	

Function	Valuation	Notes
<b>3.8 P01 Clock-in or clock-out posting</b>		
<b>3.8.1 P01 without attendance/absence reason</b>	successful	
<b>3.8.2 P01 with valid attendance/absence reason</b>	successful	
<b>3.8.3 P01 with invalid attendance/absence reason</b>	successful	

Function	Valuation	Notes
<b>3.9 P02 Start or end of break booking</b>		
<b>3.9.1 P02 without attendance/absence reason</b>	successful	

Function	Valuation	Notes
<b>3.10 P03 Start or end of off-site work booking</b>		
<b>3.10.1 P03 without attendance/absence reason</b>	successful	

Function	Valuation	Notes
<b>3.11 P60 Info booking</b>		
<b>3.11.1 P60 without attendance/absence reason</b>	successful	

Function	Valuation	Notes
<b>3.12 P05 Interim booking</b>		
<b>3.12.1 P05 without attendance/absence reason</b>	successful	

Function	Valuation	Notes
<b>3.13 P10 Booking with different payment</b>		
<b>3.13.1 P10 with valid position</b>	successful	
<b>3.13.2 P10 with invalid object type</b>	successful	
<b>3.13.3 P10 with valid cost center</b>	successful	
<b>3.13.4 P10 with invalid cost center</b>	successful	
<b>3.13.5 P10 with valid internal order</b>	successful	
<b>3.13.6 P10 with invalid internal order</b>	successful	
<b>3.13.7 P10 with valid project number</b>	successful	
<b>3.13.8 P10 with invalid project number</b>	successful	

Function	Valuation	Notes
<b>4.1 Display employee balances</b>	successful	

Function	Valuation	Notes
<b>4.2 Display mail indicators</b>		
<b>4.2.1 MAIL_INDICATOR</b>	successful	
<b>4.2.2 TIME_EVAL_MAIL_INDICATOR</b>	successful	

### **3. Optional Functions**

#### **5. Employee Expenditures**

<b>Function</b>	<b>Valuation</b>	<b>Notes</b>
<b>5.1 P50 External wage type booking</b>		
<b>5.1.1 P50 Number of bookings with valid external wage type</b>	successful	
<b>5.1.2 P50 Amount with valid external wage type</b>	successful	
<b>5.1.3 P50 Amount with invalid external wage type</b>	successful	

**Other Notes:**

None

=====